

FULLY CHELATED ZINC 10% w/v | COPPER 2% w/v | SULPHUR 7.1% w/v



- ✓ Highly effective lignosulphonate chelating agent
- ✓ Superior absorption with rainfast properties
- ✓ Australian manufacturer

Kemgro[®] Zinc Copper nutrient is chelated with a highly effective chelating agent for superior absorption, quick uptake of nutrients with rainfast properties. Can be applied as a foliar spray or in furrow at seeding. Filtered to 100 microns for easy application.

Note: Kemgro recommends Bowa Spray Activator Surfactant to be used with this product.

DIRECTIONS FOR USE Agitate well before use. Always use diluted and do not exceed recommended rate per hectare.

BROADACRE: Use at least 80L/ha of water.

CHELATED FOR SUPERIOR ABSORPTION AND QUICK UPTAKE OF NUTRIENTS

TYPICAL ANALYSIS	AMOUNT UNITS	
PH	4.1	units
Specific gravity	1.31	
Filtered	100	microns
Major Elements		
Zinc (Zn)	10.0	%W/V
Copper (Cu)	2.0	%W/V
Sulphur (S)	7.1	%w/v

CROP	RATE/HA	APPLICATION RATES AND TIMING
Cereals	1 - 3L/ha	Apply at 3-4 leaf stage.
Legumes	1-3L/ha	Apply when sufficient foliage is present.
		Spray as required.
Pasture	2-3L/ha	Apply when sufficient foliage is present.
		Spray as required.
Lucerne	3-4L/ha	Apply when sufficient foliage is present.
		Spray as required.
Seeding in furrow	3-7L/ha	Apply at planting.
Frequencies and rat	es are guidelines	only.

AVAILABLE IN

