

FULLY CHELATED



- CHELATED FOR SUPERIOR ABSORPTION AND QUICK UPTAKE OF NUTRIENTS
- TYPICAL ANALYSIS AMOUNT UNITS 3.8 Specific gravity Filtered microns Magnesium (Mn) %w/v 2.5 %W/V 3.0 Manganese (Mn) %w/v Sulphur (S) %w/v %w/v Iron (Fe) %W/V Boron (B) 0.04 %w/v Molybdenum (Mo) %w/v

- ✓ Highly effective lignosulphonate chelating agent
- ✓ Superior absorption with rainfast properties
- ✓ Australian manufacturer

Kemgro[®] Horti-Trace Organic provides you with a complete balance of trace elements. Suitable for most horticultural crops. Chelated with a highly effective chelating agent for superior absorption, quick up take of nutrients with rainfast properties. Can be applied as a foliar spray or through a fertigation system. Filtered to 100 microns for easy application.

DIRECTIONS FOR USE Agitate well before use. Always use diluted and do not exceed recommended rate per hectare.

HORTICULTURE: Use at least 300L/ha of water. **BROADACRE**: Use at least 80L/ha of water.

| CROP | RATE/HA | APPLICATION RATES AND TIMING |
|--------------------|----------|---|
| Vines | 2-4 L/ha | At 10cm shoot, post-flowering and post-harvest. |
| Citrus | 2-4 L/ha | At Spring and Autumn flush, and as required. |
| Stone & pome fruit | 2-4 L/ha | Post-flowering and after harvest. |
| Avocado | 2-3 L/ha | At Spring flush and post-harvest. |
| Vegetables | 1-4 L/ha | When needed or with normal nutrient program. |
| Almonds | 2-3 L/ha | At petal fall, 4-6 weeks later and post-harvest. |
| Potatoes | 2-4 L/ha | At hooking and tuber set. |
| Seed dressing | 7-9 L | Per tonne of seed. |
| Fertigation | 5-9 L/ha | As required, apply in the middle of irrigation to allow flushing. |
| Broadacre | 2-4 L/ha | Apply when sufficient foliage is present, spray as required. |

