

## **FULLY CHELATED**

ZINC 3.4% w/v | MANGANESE 11% w/v | COPPER 1.4% w/v | SULPHUR 9.6% w/v



- ✓ Highly effective lignosulphonate chelating agent
- ✓ Superior absorption with rainfast properties
- ✓ Australian manufacturer

Kemgro<sup>®</sup> ZMC-3 nutrient is chelated with a highly effective chelating agent for superior absorption, quick uptake of nutrients with rainfast properties. Can be applied as a foliar spray or in furrow at seeding. Filtered to 100 microns for easy application.

Note: Kemgro recommends Bowa Spray Activator Surfactant to be used with this product.

**DIRECTIONS FOR USE** Agitate well before use. Always use diluted and do not exceed recommended rate per hectare.

**BROADACRE**: Use at least 80L/ha of water.

## CHELATED FOR SUPERIOR ABSORPTION AND QUICK

TYPICAL ANALYSIS	AMOUNTUNITS	
PH	4.7	units
Specific gravity	1.35	
Filtered	100	microns
Major Elements		
Zinc (Zn)	3.4	%W/V
Manganese (Mn)	11	%wv/w
Copper (Cu)	1.4	%W/V
Sulphur (S)	9.6	%W/V

CROP	RATE/HA	APPLICATION RATES AND TIMING	
Cereals	2-4L/ha	Apply at leaf stage.	
Legumes	2-4L/ha	Apply when sufficient foliage is present.	
		Spray as required.	
Pasture	2-5L/ha	Apply when sufficient foliage is present.	
		Spray as required.	
Lucerne	3-5L/ha	Apply when sufficient foliage is present.	
		Spray as required.	
Seeding in furrow	2-4L/ha	Apply at planting.	
Frequencies and rates are guidelines only.			

## **AVAILABLE IN**

