

## ZMC MAGNESIUM+MO

## FULLY CHELATED

ZINC 6% w/v | MANGANESE 4.5% w/v | COPPER 1.2% w/v MAGNESIUM 1.5% w/v | SULPHUR 7% w/v | MOLY .08% w/v



- ✓ Highly effective lignosulphonate chelating agent
- ✓ Superior absorption with rainfast properties
- ✓ Australian manufacturer

Kemgro<sup>®</sup> ZMC Magnesium+Mo nutrient is chelated with a highly effective chelating agent for superior absorption, quick uptake of nutrients with rainfast properties. Can be applied as a foliar spray or in furrow at seeding. Filtered to 100 microns for easy application.

Note: Kemgro recommends Bowa Spray Activator Surfactant to be used with this product.

**DIRECTIONS FOR USE** Agitate well before use. Always use diluted and do not exceed recommended rate per hectare.

**BROADACRE**: Use at least 80L/ha of water.

## CHELATED FOR SUPERIOR ABSORPTION AND QUICK

TYPICAL ANALYSIS	AMOUNTUNITS	
PH	4.5	units
Specific gravity	1.37	
Filtered	100	microns
Major Elements		
Zinc (Zn)	6.0	%w/v
Manganese (Mn)	4.5	%w/v
Copper (Cu)	1.2	%w/v
Magnesium (Mg)	1.5	%w/v
Sulphur (S)	7.0	%W/V
Moly (Mo)	.08	%w/v

CROP	RATE/HA	APPLICATION RATES AND TIMING
Cereals	2-4L/ha	Apply at leaf stage.
Legumes	2-4L/ha	Apply when sufficient foliage is present.
		Spray as required.
Pasture	2-5L/ha	Apply when sufficient foliage is present.
		Spray as required.
Lucerne	3-5L/ha	Apply when sufficient foliage is present.
		Spray as required.
Seeding in furrow	2-4L/ha	Apply at planting.
Frequencies and rates are guidelines only.		

**AVAILABLE IN**